

Please replace the paragraph beginning on page 11, line 32, with the following rewritten paragraph:

SC4  
B3  
--The catalyst can be prepolymerized prior to feeding into the polymerization reactor. During prepolymerization the catalyst components are contacted for a short period with a monomer, such as an olefin monomer, before feeding into the reactor. Examples of suitable systems are described in, e.g., Finnish Patent Application No. 961152. It is also possible, as described in EP 0 607 703, to carry out the prepolymerization in the presence of a viscous substance, such as an olefinic wax or an oil/wax mixture, to provide a prepolymerized catalyst which is stable during storage and handling. The catalysts prepolymerized in wax will also allow for easy dosing of the catalyst into the polymerization reactors.--

Please replace the paragraph beginning on page 21, line 24, with the following rewritten paragraph:

SC5  
B4  
--The polymerizations were carried out in the presence of a Ziegler-Natta catalyst with an external electron donor corresponding to the general formula I and V above (dicyclopentyl dimethoxy silane, in the following abbreviated "D"). The catalyst was prepared according to the method described in WO 92/19653. A polymer prepared in the presence of a corresponding catalyst system containing a conventional donor corresponding to the general formula IV (cyclohexyl methyl dimethoxy silane or abbreviated "C") was tested. As a reference, a commercial polypropylene was used. Polymerizations were made in liquid propylene where the first polymerization step was made without any hydrogen in the feed and the second step in the presence of hydrogen.--

Please replace the paragraph beginning on page 23, line 16, with the following rewritten paragraph:

SC6  
B5  
--A prepolymerized  $\text{MgCl}_2$  supported Ti-catalyst (prepared according to WO 92/19653) was used in the polymerization. The cocatalyst was triethyl aluminium (TEA) and dicyclopentyl dimethoxy silane (DCPDMS) was used as an external donor. The Al/Ti mole ratio was 150 and Al/donor mole ratio 5.--